

3. TEKNISKA DATA


3.1. MÅTTUPPGIFTER, ENHETSAGGREGAT RG SERIEN

RG 1800 – 7200




Aggregat RG	Luftmängd [l/s]	Kanalanslutning I x J [mm]	Vikt [kg]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	H [mm]	I [mm]	J [mm]	K [mm]
1800	480 - 790	670 x 470	590	3470	1265	940	770	70	36	50	50	670	470	1090
2700	650 - 1080	935 x 510	700	3470	1265	940	945	70	36	50	50	845	510	1170
3600	880 - 1460	1020 x 570	850	3470	1265	940	1120	70	36	50	50	1020	570	1290
5400	1140 - 1890	1200 x 630	1080	3470	1265	940	1300	70	36	50	50	1200	630	1410
7200	1460 - 2440	1370 x 710	1390	3470	1265	940	1470	70	36	50	50	1370	710	1570

Utförande Kompakt Aggregat: A – 100mm

RG 9000 – 25000


Aggregat RG	Luftmängd [l/s]	Kanalanslutning I x J [mm]	Vikt [kg]	A [mm]	B1 [mm]	B2 [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	H [mm]	I [mm]	J [mm]	K [mm]
9000	2330 - 3570	1720 x 900	2150	4970	2015	1310	940	1820	70	36	100	50	1720	900	2000
13000	2580 - 4090	1720 x 1000	2600	5340	2015	1310	1310	1820	70	36	100	50	1720	1000	2200
16000	3420 - 5350	2070 x 1100	3100	5810	2250	1310	1310	2170	70	36	100	50	2070	1100	2400
20000	4210 - 5900	2245 x 1250	3700	5810	2250	1310	1310	2345	70	36	100	50	2245	1250	2700
25000	5250 - 7790	2800 x 1250	4200	5810	2250	1310	1310	2900	70	36	100	50	2800	1250	2700

RG 33000 och 36000


Aggregat RG	Luftmängd [l/s]	Kanalanslutning L4 x H4 [mm]	Ca. Vikt [kg]	L1 [mm]	L2 [mm]	L3 [mm]	L4 [mm]	D1 [mm]	D2 [mm]	D3 [mm]	D4 [mm]	D5 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	H5 [mm]
33000	6150 - 10250	2000 x 2050	6270 kg	4990	1445	2100	2000	2100	2000	1660	910	7240	2150	2050	2150	2050	2150
36000	6680 - 11130	2000x2225	6470 kg	4990	1445	2100	2000	2100	2000	1660	910	7240	2325	2225	2325	2225	2325